

BIBLIOGRAPHY



Iridex Laser Systems using MicroPulse[®] Technology for the Treatment of Retinal Disorders

Peer-reviewed literature

Poster and podium presentations

RETINA: CLINICAL

Age-Related Macular Degeneration	
<i>Articles</i>	4
Diabetic Retinopathy: Diabetic Macular Edema	
<i>Articles</i>	4
<i>Poster and Podium Presentations</i>	6
<i>CME Course</i>	7
Diabetic Retinopathy: Proliferative Diabetic Retinopathy	
<i>Articles</i>	7
<i>Poster and Podium Presentations</i>	7
Macular Edema Secondary to Branch Retinal Vein Occlusion	
<i>Articles</i>	7
<i>Poster and Podium Presentations</i>	8
Macular Edema Secondary to Central Retinal Vein Occlusion	
<i>Articles</i>	8
Cystoid Macular Edema Postoperative Cataract Surgery (Irvine-Gass Syndrome); Retinal Detachment	
<i>Articles</i>	8
Cystoid Macular Edema Secondary to Central Vein Occlusion	
<i>Poster and Podium Presentations</i>	8
Central Serous Chorioretinopathy	
<i>Articles</i>	8
<i>Poster and Podium Presentations</i>	9
Coats Disease	
<i>Poster and Podium Presentations</i>	10
Idiopathic Polypoidal Choroidal Vasculopathy	
<i>Poster and Podium Presentations</i>	10
Optic Disc Maculopathy	
<i>Articles</i>	10
Retinitis Pigmentosa	
<i>Articles</i>	10
Serous Pigment Epithelium Detachment	
<i>Articles</i>	10
Symptomatic Retinal Arterial Macroaneurysms	
<i>Articles</i>	10

continued...

This bibliography includes peer-reviewed literature, and research shared at major industry congresses, on Iridex laser systems used in their MicroPulse® treatment mode for the treatment of retinal disorders. For more information, please contact Iridex at retina@iridex.com, or scan the QR code.



TABLE OF CONTENTS

RETINA: PRE-CLINICAL

<i>Articles</i>	10
<i>Poster and Podium Presentations</i>	11

RETINA: TISSUE-SPARING RELATED LITERATURE

<i>Articles</i>	11
<i>Poster and Podium Presentations</i>	11

This bibliography includes peer-reviewed literature, and research shared at major industry congresses, on Iridex laser systems used in their MicroPulse® treatment mode for the treatment of retinal disorders. For more information, please contact Iridex at retina@iridex.com, or scan the QR code.



RETINA: CLINICAL

Age-Related Macular Degeneration

Articles

1. Luttrull DK, Chang DB, Margolis BW, Dorin G, Luttrull KD. Laser resensitization of medically unresponsive neovascular age-related macular degeneration. Efficacy and Implications. *Retina*, 2015;35(6):1184-94.
2. Luttrull JK, Margolis BW. Functionally guided retinal protective therapy for dry age-related macular and inherited retinal degenerations: A pilot study. *Invest Ophthalmol Vis Sci*, 2016;57:(1)265-75.
3. Luttrull JK, Sinclair SH, Elmann S, Glaser BM. Low incidence of choroidal neovascularization following subthreshold diode micropulse laser (SDM) in high-risk AMD. *PLoS One*, 2018;13(8):e0202097.

Diabetic Retinopathy: Diabetic Macular Edema

Articles

4. Friberg TR, Karatza EC. The treatment of macular disease using a micropulsed and continuous wave 810-nm diode laser. *Ophthalmology*, 1997;104(12):2030-8.
5. Moorman CM, Hamilton AMP. Clinical applications of the MicroPulse diode laser. *Eye*, 1999;13(Pt2):145-50.
6. Stanga PE, Reck AC, Hamilton AMP. Micropulse laser in the treatment of diabetic macular edema. *Semin Ophthalmol*, 1999;14(4):210-13.
7. Friberg TR. Infrared micropulsed laser treatment for diabetic macular edema – subthreshold versus threshold lesions. *Semin Ophthalmol*, 2001;16(1):19-24.
8. Olk RJ, Akduman L. Minimal intensity diode laser photocoagulation (MIP) for diffuse DME. *Semin Ophthalmol*, 2001;16(1):25-30.
9. Laursen ML, Moeller F, Sander B, Sjoelie AK. Subthreshold micropulse diode laser treatment in diabetic macular oedema. *Br J Ophthalmol*, 2004;88(9):1173-9.
10. Bhagat N, Zarbin MA. Use of diode subthreshold micropulse laser for treating diabetic macular edema. *Contemp Ophthalmol*, 2004;3(13):1-10.
11. Tseng Shih-Yu. Clinical application of micropulse diode laser in the treatment of macular edema. *Am J Ophthalmol*, 2005;139(4):S58.
12. Luttrull JK, Musch DC, Mainster MA. Subthreshold diode micropulse photocoagulation for the treatment of clinically significant diabetic macular oedema. *Br J Ophthalmol*, 2005;(1):89:74-80.
13. Luttrull JK, Spink CJ. Serial optical coherence tomography of subthreshold diode laser micropulse photocoagulation for diabetic macular edema. *Ophthalmic Surg Lasers Imaging*, 2006;37(5):370-7.
14. Dare A, Castro L, Lavinsky D, Navajas E, Cardillo JA. Novos horizontes no tratamento do edema de macula diabetico: Fotocoagulacao macular seletiva com micropulse de diodo 810 nm. *JBO*, 2007;13:16-20.
15. Sivaprasad S, Sandhu R, Tandon A, Sayed-Ahmed K, McHugh DA. Subthreshold micropulse diode laser photocoagulation for clinically significant diabetic macular oedema: A three-year follow up. *Clin Exp Ophthalmol*, 2007;35(7):640-4.
16. Fletcher E, Chong V. Diabetic macular oedema – is micropulse laser treatment the way forward? *Ophthalmology International*, 2008;3(1):19-22.
17. Nakamura Y, Tatsumi T, Arai M, Takatsuna Y, Mitamura Y, Yamamoto S. [Subthreshold micropulse diode laser photocoagulation for diabetic macular edema with hard exudates]. *Nippon Ganka Gakkai Zasshi*, 2009;113(8):787-91.
18. Figueira J, Khan J, Nunes S, Sivaprasad S, Rosa A, de Abreu JF, Cunha-Vaz JG, Chong NV. Prospective randomised controlled trial comparing sub-threshold micropulse diode laser photocoagulation and conventional green laser for clinically significant diabetic macular oedema. *Br J Ophthalmol*, 2009;93(10):1341-4.
19. Ohkoshi K, Yamaguchi T. Subthreshold micropulse diode laser photocoagulation for diabetic macular edema in Japanese patients. *Am J Ophthalmol*, 2010;149(1):133-9.
20. Nakamura Y, Mitamura Y, Ogata K, Arai Mz, Takatsuna Y, Yamamoto S. Functional and morphological changes of macula after subthreshold micropulse diode laser photocoagulation for diabetic macular oedema. *Eye (Lond)*, 2010;24(5):784-8.
21. Vujosevic S, Bottega E, Casciano M, Pilotto E, Convento E, Midena E. Microperimetry and fundus autofluorescence in diabetic macular edema: Subthreshold micropulse diode laser versus modified early treatment diabetic retinopathy study laser photocoagulation. *Retina*, 2010;30(6):908-16.
22. Venkatesh P, Ramanjulu R, Azad R, Vohra R, Garg S. Subthreshold micropulse diode laser and double frequency neodymium:YAG laser in treatment of diabetic macular edema: A prospective, randomized study using multifocal electroretinography. *Photomed Laser Surg*, 2011;29(11):727-33.
23. Lavinsky D, Cardillo JA, Melo LA, Jr., Dare A, Farah ME, Belfort R, Jr. Randomized clinical trial evaluating mETDRS versus normal or high-density micropulse photocoagulation for diabetic macular edema. *Invest Ophthalmol Vis Sci*, 2011;52(7):4314-23.
24. Takatsuna Y, Yamamoto S, Nakamura Y, Tatsumi T, Arai M, Mitamura Y. Long-term therapeutic efficacy of the subthreshold micropulse diode laser photocoagulation for diabetic macular edema. *Jpn J Ophthalmol*, 2011;55(4):365-369.
25. Luttrull JK, Sramek C, Palanker D, Spink CJ, Musch DC. Long-term safety, high-resolution imaging, and tissue temperature modeling of sub-visible diode micropulse photocoagulation for retinovascular macular edema. *Retina*, 2012;32(2):375-86.
26. Sivaprasad S, Dorin G. Subthreshold diode laser micropulse photocoagulation for the treatment of diabetic macular edema. *Expert Review of Medical Devices*, 2012;9(2):189-197.

[RETURN TO TOC](#)

27. Inagaki K, Iseda A, Ohkoshi K. [Subthreshold micropulse diode laser photocoagulation combined with direct photocoagulation for diabetic macular edema in Japanese patients]. *Nihon Ganka Gakkai Zasshi*, 2012;116(6):568-74.
28. Luttrull JK, Dorin G. Subthreshold diode micropulse laser photocoagulation (SDM) as invisible retinal phototherapy for diabetic macular edema: A review. *Curr Diabetes Rev*, 2012;8:274-284.
29. Inagaki K, Ohkoshi K, Ohde S. Spectral-domain optical coherence tomography imaging of retinal changes after conventional multicolor laser, subthreshold micropulse diode laser, or pattern scanning laser therapy in Japanese with macular edema. *Retina*, 2012;32(8):1592-1600.
30. Vujosevic S, Martini F, Convento E, Longhin E, Kotsafti O, Parrozzani R, Midena E. Subthreshold laser therapy for diabetic macular edema: Metabolic and safety issues. *Curr Med Chem*, 2013;20(26):3267-71.
31. Othman IS, Eissa SA, Kotb MS, Sadek SH. Subthreshold diode-laser micropulse photocoagulation as a primary and secondary line of treatment in management of diabetic macular edema. *Clin Ophthalmol*, 2014;8:653-9.
32. Nicolo M, Musetti D, Traverso CE. Yellow micropulse laser in diabetic macular edema: A short-term pilot study. *Eur J Ophthalmol* 2014, Nov-Dec;24(6):885-9.
33. Luttrull JK, Sinclair SH. Safety of transfoveal subthreshold diode micropulse laser for fovea-involving diabetic macular edema in eyes with good visual acuity. *Retina*, 2014;34(10):2010-2020.
34. Yadav NK, Jayadev C, Rajendran A Nagpal, M. Recent developments in retinal lasers and delivery systems. *Indian J Ophthalmol*, 2014;62(1):50-4.
35. Mansouri A, Sampat KM, Malik KJ, Steiner JN, Glaser BM. Efficacy of subthreshold micropulse laser in the treatment of diabetic macular edema is influenced by pre-treatment central foveal thickness. *Eye (Lond)*, 2014;28(12):1418-24.
36. Inagaki K, Ohkoshi K, Ohde S, Deshpande G, Ebihara N, Murakami A. Comparative efficacy of pure yellow (577nm) and 810nm subthreshold micropulse laser photocoagulation combined with yellow (561–577-nm) direct photocoagulation for diabetic macular edema. *Jpn J Ophthalmol*, 2015;59(1):21-8.
37. Vujosevic S, Martini F, Longhin E, Convento E, Cavarzeran F, Midena E. Subthreshold micropulse yellow laser versus subthreshold micropulse infrared laser in center-involving diabetic macular edema: Morphologic and functional safety. *Retina*, 2015;35(8):1594-603.
38. Elhamid AHA. Combined intravitreal dexamethasone implant and micropulse yellow laser for treatment of anti-VEGF resistant diabetic macular edema. *The Open Ophthalmology Journal*, 2017;11:164-172.
39. Latalska M, Prokopiuk A, Wróbel-Dudzińska D, Mackiewicz J. Subthreshold micropulse yellow 577 nm laser therapy of diabetic macular oedema in rural and urban patients of south-eastern poland. *Annals of Agricultural and Environmental Medicine*, 2017;24(1):96-99.
40. Wu Y, Ai P, Ai Z, Xu G. Subthreshold diode micropulse laser versus conventional laser photocoagulation monotherapy or combined with anti-VEGF therapy for diabetic macular edema: A bayesian network meta-analysis. *Biomedicine & Pharmacotherapy*, 2018;97:293-299.
41. Moisseiev E, Abbassi S, Thinda S, Yoon J, Yiu G, Morse LS. Subthreshold micropulse laser reduces anti-VEGF injection burden in patients with diabetic macular edema. *Eur J Ophthalmol*, 2018;28(1):68-73.
42. Vujosevic S, Frizziero L, Martini F, Bini S, Convento E, Cavarzeran F, Midena E. Single retinal layer changes after subthreshold micropulse yellow laser in diabetic macular edema. *Ophthalmic Surg Lasers Imaging Retina*, 2018;49(11):e218-e225.
43. Akhlaghi M, Dehghani A, Pourmohammadi R, Asadpour L, Pourazizi M. Effects of subthreshold diode micropulse laser photocoagulation on treating patients with refractory diabetic macular edema. *J Curr Ophthalmol*, 2019;31(2):157-160.
44. Inagaki K, Hamada M, Ohkoshi K. Minimally invasive laser treatment combined with intravitreal injection of anti-vascular endothelial growth factor for diabetic macular oedema. *Sci Rep*, 2019;9(1):7585.
45. Lois N, Gardner E, Waugh N, Azuara-Blanco A, Mistry H, McAuley D, Acharya N, Aslam TM, Bailey C, Chong V, Downey L, Eleftheriadis H, Fatum S, George S, Ghanchi F, Groppe M, Hamilton R, Menon G, Saad A, Sivaprasad S, Shiew M, Steel DH, Talks JS, Adams C, Campbell C, Mills M, Clarke M, Group DS. Diabetic macular oedema and diode subthreshold micropulse laser (diamonds): Study protocol for a randomised controlled trial. *Trials*, 2019;20(1):122.
46. Midena E, Bini S, Frizziero L, Pilotto E, Esposito G, Micera A. Aqueous humour concentrations of pedf and Erythropoietin are not influenced by subthreshold micropulse laser treatment of diabetic macular edema. *Biosci Rep*, 2019;39(6).
47. Midena E, Micera A, Frizziero L, Pilotto E, Esposito G, Bini S. Sub-threshold micropulse laser treatment reduces inflammatory biomarkers in aqueous humour of diabetic patients with macular edema. *Sci Rep*, 2019;9(1):10034.
48. Midena E, Bini S, Martini F, Enrica C, Pilotto E, Micera A, Esposito G, Vujosevic S. Changes of aqueous humor muller cells' biomarkers in human patients affected by diabetic macular edema after subthreshold micropulse laser treatment. *Retina*, 2020;40(1):126-134.
49. Vujosevic S, Gatti V, Muraca A, Brambilla M, Villani E, Nucci P, Rossetti L, De Cilla' S. Optical coherence tomography angiography changes after subthreshold micropulse yellow laser in diabetic macular edema. *Retina*, 2020;40(2):312-321.
50. Furashova O, Strassburger P, Becker KA, Engelmann K. Efficacy of combining intravitreal injections of ranibizumab with micropulse diode laser versus intravitreal injections of ranibizumab alone in diabetic macular edema (recall): A single center, randomised, controlled, non-inferiority clinical trial. *BMC Ophthalmol* 2020;20(1):308.
51. Al-Barki A, Al-Hijji L, High R, Schatz P, Do D, Nguyen QD, Luttrull JK, Kozak I. Comparison of short-pulse subthreshold (532 nm) and infrared micropulse (810 nm) macular laser for diabetic macular edema. *Sci Rep* 2021;11(1):14.

[RETURN TO TOC](#)

52. Donati MC, Murro V, Mucciolo DP, Giorgio D, Cinotti G, Virgili G, Rizzo S: Subthreshold yellow micropulse laser for treatment of diabetic macular edema: Comparison between fixed and variable treatment regimen. *Eur J Ophthalmol* 2021;31(3):1254-1260.
53. Frizziero L, Calciati A, Torresin T, Midena G, Parrozzani R, Pilotto E, Midena E: Diabetic macular edema treated with 577-nm subthreshold micropulse laser: A real-life, long-term study. *J Pers Med* 2021;11(5).
54. Frizziero L, Calciati A, Midena G, Torresin T, Parrozzani R, Pilotto E, Midena E: Subthreshold micropulse laser modulates retinal neuroinflammatory biomarkers in diabetic macular edema. *J Clin Med* 2021;10(14).
55. Gawecki M. Subthreshold diode micropulse laser combined with intravitreal therapy for macular edema-a systematized review and critical approach. *J Clin Med* 2021;10(7).
56. Grzybowski A, Markeviciute A, Zemaitiene R. Treatment of macular edema in vascular retinal diseases: A 2021 update. *J Clin Med* 2021;10(22).
57. Lai FHP, Chan RPS, Lai ACH, Tsang S, Woo TTY, Lam RF, Yuen CYF: Comparison of two-year treatment outcomes between subthreshold micropulse (577 nm) laser and aflibercept for diabetic macular edema. *Japanese Journal of Ophthalmology* 2021;65(5):680-688.
58. Lois N, Campbell C, Waugh N, Azuara-Blanco A, Maredza M, Mistry H, McAuley D, Acharya N, Aslam TM, Bailey C, Chong V, Downey L, Eleftheriadis H, Fatum S, George S, Ghanchi F, Groppe M, Hamilton R, Menon G, Saad A, Sivaprasad S, Shiew M, Steel DH, Talks JS, Doherty P, McDowell C, Clarke M, Diamonds study group: Diabetic macular oedema and diode subthreshold micropulse laser (diamonds): A randomized double-masked non-inferiority clinical trial. *Ophthalmology* 2022.

Posters and Podium Presentations

59. Grigorian RA, Zarbin MA, Brimacombe R, Tutela A, Roy M, Bhagat N. Comparison of subthreshold micropulse diode laser photocoagulation with conventional laser photocoagulation for clinically significant macular edema in diabetic patients. *Invest Ophthalmol Vis Sci*, 2004;45:ARVO E-Abstract 4067.
60. Avery RL, Pieramici DJ, Nasir MA, Rhodes K, Robbins E. Micropulse laser for diabetic macular edema: A prospective pilot study. *Invest Ophthalmol Vis Sci*, 2004;45:E-Abstract 4143.
61. Zagidullina A, Battaglia Parodi M, Iacono P, Fachin A, Ravalico G. Subthreshold micropulse grid laser treatment for clinically significant diabetic macular edema. *Invest Ophthalmol Vis Sci*, 2007;48:E-Abstract 1403.
62. Bhagat N, Grigorian R, Zarbin MA, Roy M, Patel N. Subthreshold micropulse diode laser photocoagulation (SMDLP) for the treatment of diabetic clinically significant macular edema. SOE/AAO Joint Congress, Vienna 9-12 June, 2007. Abstract EP-RET-095.
63. Cardillo JA, Dare A, Peroni R, Lavinsky D, Costa RA, Moreira CE. Optimal endpoint and lesion character for subthreshold micropulse photocoagulation protocols targeting diabetic macular edema. ARVO Meeting Abstracts 2009;50(5):217.
64. Midena E, Vujosevic S, Pilotto E. In vivo laser-tissue interactions in central involving diabetic macular edema treated with subthreshold micropulse diode laser. Macula Society 2011, Boca Raton, FL.
65. Peroni R, Cardillo JA, Dare AJ, Aguirre JG, Lavinsky D, Farah ME, Belfort R. A combined low energy, short pulsed 577nm mild macular grid photocoagulation with 577 nm-micropulsed central laser stimulation for diabetic macular edema with foveal leakage (the sandwich grid). ARVO Meeting Abstracts 2011;52(6):590.
66. Aguirre JGM, Cardillo JA, Dare AJ, Peroni R, Lavinsky D, Farah ME, Belfort R. 577 nm short pulsed and low energy selective macular grid laser photocoagulation for diffuse diabetic macular edema. ARVO Meeting Abstracts 2011;52(6):592.
67. Saksonov S, Suk S, Rykov S, Kuznecova T, Milienko M. Advantages of subthreshold micropulse yellow 577 nm coagulation in comparison with classic modified ETDRS focal-grid laser photocoagulation in diffuse diabetic macular edema. Paper. XX Annual Meeting - Combined Meeting of Vth APVRS & XXth VRSI. Hyderabad, India. December 1 - 3, 2011.
68. Monaco P, Cappello E, Cirone M, Del Borrello M, Tollot L, Frattolillo A, Vaccaro M, Sperti F, Cigada MV. Subthreshold micropulse diode laser versus conventional green laser in clinically significant diabetic macular edema. ARVO Meeting Abstracts 2012;53(6):413.
69. Flores-Aguilar M, Flores-Aguilar C. Micropulsed 577 nm laser stimulation for diabetic macular edema with foveal leakage. ARVO Meeting Abstracts 2012;53(6):418.
70. Othman I., MicroPulse laser following intra vitreal bevacizumab in diffuse DME. 12th EVRS Congress, Dresden, Germany. September 15 – 18, 2012.
71. Sinclair S. MicroPulse contiguous grid laser for resistant diffuse DME. 12th EVRS Congress, Dresden, Germany. September 15 – 18, 2012.
72. Martin Flores-Aguilar, Micropulsed 577 nm laser stimulation for DME. 12th EVRS Congress, Dresden, Germany. September 15 – 18, 2012.
73. Fruschelli M, Sparagna MC, Denaro R, Menicacci F, Esposti G, Esposti PL. Subthreshold micropulse photostimulation with true yellow 577 nm diode laser for macular edema. 12th EVRS Congress. Dresden, Germany. September 15 - 18, 2012.
74. Morrison-Reyes J, Mansour S, Mathura J. Treatment of refractory macular edema following intravitreal pharmacotherapy with the 577 nm micropulse subthreshold grid laser. 30th Anniversary Annual Scientific Meeting of the American Society of Retina Specialists. Las Vegas, NV. 2012.
75. Sinclair SH, Zhang Y, Kasenchak J, Parvus BJ, Presit P. Micropulse contiguous grid laser for resistant diffuse diabetic macular

[RETURN TO TOC](#)

- edema (DDME). 30th Anniversary Annual Scientific Meeting of the American Society of Retina Specialists. Las Vegas, NV. 2012.
76. Peroni R, Cardillo JA, Dare AJ, Jorge R: Microperimetry-guided micropulsed laser photo stimulation for the treatment of diabetic macular edema. *Invest Ophthalmol Vis Sci*, 2013;54:E-Abstract 2365.
 77. Adyanthaya, R, Zavala, G, Gonzalez, V: Subthreshold micropulse diode laser photocoagulation as monotherapy for mild to moderate diabetic macular edema. *Invest Ophthalmol Vis Sci*, 2013;54(6):E-Abstract 2381.
 78. Subbiah S, Donaldson M, Pradhan M: Tissue sparing micropulse laser for the treatment of diabetic macular oedema. *Invest Ophthalmol Vis Sci*, 2013;54(6):E-Abstract 2382.
 79. Wong S, Ramenaden E, Alhabshan R, Smithen L, Mathura RJ: The efficacy and safety of 577-nm subthreshold diode micropulse photocoagulation in macular edema. *Invest Ophthalmol Vis Sci*, 2014;55:E-Abstract 6360.
 80. Midena G, Vujosevic S, Martini F, Convento E, Pilotto E, Federici M, Pagliei V, Minnella AM, Midena E. Retinal layers and microperimetry changes after subthreshold micropulse laser in the treatment of diabetic macular edema. *Invest Ophthalmol Vis Sci*, 2017;58(8):947-947.
 81. Cappello E, Cecchin E, Della Guardia C, Morselli S. Ocular photostimulation with the 577 nm micropulse yellow laser in the management of clinically significant diabetic macular edema (CSDME) – 4th year of follow-up. *Invest Ophthalmol Vis Sci*, 2018;59(9):4845-4845.
 82. Mughal M, Chang E, Alexander JM, Morcos MM. Comparing intravitreal bevacizumab, sub threshold macular laser (stml) and intravitreal dexamethasone implant (0.7mg) in the initial treatment of diabetic macular edema (DME) in a resident led clinic. *Invest Ophthalmol Vis Sci*, 2019;60(9):3681-3681.
 83. Buryakov D. Micropulse laser treatment compares well to anti-vascular endothelial growth factor injections for diabetic macular edema. *Euretina*, 2020.
 84. Bedan AH, Zacharakis F, Rashad M, Morgan S, Carr Fr. Subthreshold micropulse laser treatment in diabetic macular oedema. *Invest Ophthalmol Vis Sci*. 2022;63(7):3805 – F0226-3805 – F0226.

CME Course

85. Majcher C, Gurwood AS. A review of micropulse laser photocoagulation. *Review of Optometry* 2011;CE Course: Release Date: November 2011; Expiration Date: December 1, 2014.

Diabetic Retinopathy: Proliferative Diabetic Retinopathy

Articles

86. Moorman CM, Hamilton AMP. Clinical applications of the micropulse diode laser. *Eye* 1999;13(Pt2):145-50.
87. Luttrull JK, Musch DC, Spink CA. Subthreshold diode micropulse panretinal photocoagulation for proliferative diabetic retinopathy. *Eye (Lond)*, 2008;22(5):607-12.
88. Kumar V, Ghosh B, Raina UK, Goel N. Subthreshold diode micropulse panretinal photocoagulation for proliferative diabetic retinopathy. *Eye* 2009;23(11):2122-23.
89. Luttrull JK, Musch D, Spink C. Reply to Dr Kumar, et al. *Eye* 2009;23(11):2123.

Posters and Podium Presentations

90. Taha H, El Sheha H. Subthreshold micropulse laser photocoagulation for retinal vascular disorders. *American Society of Cataract and Refractive Surgery*, 2020.

Macular Edema Secondary to Branch Retinal Vein Occlusion

Articles

91. Parodi MB, Spasse S, Iacono P, Di Stefano G, Canziani T, Ravalico G. Subthreshold grid laser treatment of macular edema secondary to branch retinal vein occlusion with micropulse infrared (810 nanometer) diode laser. *Ophthalmology*, 2006;113(12):2237-42.
92. Parodi MB, Iacono P, Ravalico G. Intravitreal triamcinolone acetate combined with subthreshold grid laser treatment for macular edema in branch retinal vein occlusion: A pilot study. *Br J Ophthalmol*, 2008;92(8):1046-50.
93. Inagaki K, Ohkoshi K, Ohde S, Deshpande GA, Ebihara N, Murakami A: Subthreshold micropulse photocoagulation for persistent macular edema secondary to branch retinal vein occlusion including best-corrected visual acuity greater than 20/40. *J Ophthalmol*, 2014;2014251257.
94. Terashima H, Hasebe H, Okamoto F, Matsuoka N, Sato Y, Fukuchi T. Combination therapy of intravitreal ranibizumab and subthreshold micropulse photocoagulation for macular edema secondary to branch retinal vein occlusion: 6-month result. *Retina*, 2019;39(7):1377-1384.
95. Eng VA, Leng T. Subthreshold laser therapy for macular oedema from branch retinal vein occlusion: Focused review. *Br J Ophthalmol*, 2020;104(9):1184-1189.

[RETURN TO TOC](#)

Posters and Podium Presentations

96. Saksonov S, Suk S, Tatiana K, Polina A. Advantages of subthreshold micropulse 577 nm yellow laser in comparison with classic laser photocoagulation in macular edema secondary to BRVO. Poster PO1-040. XX Annual Meeting - Combined Meeting of Vith APVRS & XXth VRSI. Hyderabad, India. December 1 - 2, 2011.
97. Taha H, El Sheha H. Subthreshold micropulse laser photocoagulation for retinal vascular disorders. American Society of Cataract and Refractive Surgery, 2020.

Macular Edema Secondary to Central Retinal Vein Occlusion

Articles

98. Li L, Ren Q, Sun Z, Yu H. Clinical efficacy of conbercept plus micropulse laser (577 nm) treatment in macular edema secondary to non-ischemic central retinal vein occlusion. *Pak J Med Sci* 2022;38(5):1366-1370.

Cystoid Macular Edema Postoperative Cataract Surgery (Irvine-Gass Syndrome); Retinal Detachment

Articles

99. Verdina T, D'Aloisio R, Lazzerini A, Ferrari C, Valerio E, Mastropasqua R, Cavallini GM. The role of subthreshold micropulse yellow laser as an alternative option for the treatment of refractory postoperative cystoid macular edema. *J Clin Med*, 2020;9(4).

Cystoid Macular Edema Secondary to Central Vein Occlusion

Posters and Podium Presentations

100. Saksonov S, Suk S, Rykov S, Denisuk N, Romanava T. Micropulse 577 nm yellow laser combined with intravitreal ranibizumab in comparison with ranibizumab as monotherapy in cystoid macular edema secondary to CVO. XX Annual Meeting - Combined Meeting of Vith APVRS & XXth VRSI. Hyderabad, India. December 1 - 2, 2011.
101. Saskonov S, Suk S. Micropulse 577 nm yellow laser combined with intravitreal ranibizumab in comparison with ranibizumab as monotherapy in CVO. 12th EURETINA Congress. Milan, Italy. 6-9 September, 2012.
102. Salvetti P, de Polo L, Oldani M, Ruello R: Early changes on SD-OCT in eyes with cystoid macular edema (CME) after 577nm subthreshold micropulse laser treatment (MPLT). *Invest Ophthalmol Vis Sci*, 2013;(54):E-Abstract 4141.
103. Aguirre JG, Dare AJ: Micropulse laser therapy for the treatment of longstanding refractory pseudophakic cystoid macular edema. *Invest Ophthalmol Vis Sci*, 2014;(55):E-Abstract 6356.
104. Wong SS, Alhabshan RN, Lee JY, McLaughlin JP, Ding R, Mansour SE: The effect of micropulse laser therapy on macular edema associated with retinal vein occlusions. Poster. ASRS, San Diego, CA. 2014.

Central Serous Chorioretinopathy

Articles

105. Ricci F, Missiroli F, Cerulli L. Indocyanine green dye-enhanced micropulsed diode laser: A novel approach to subthreshold RPE treatment in a case of central serous chorioretinopathy. *Eur J Ophthalmol*, 2004;14(1):74-82.
106. Lanzetta P, Furlan F, Morgante L, Verritti D, Bandello F. Nonvisible subthreshold micropulse diode laser (810 nm) treatment of central serous chorioretinopathy. A pilot study. *Eur J Ophthalmol*, 2008;18(6):934-40.80.
107. Chen SN, Hwang JF, Tseng LF, Lin CJ. Subthreshold diode micropulse photocoagulation for the treatment of chronic central serous chorioretinopathy with juxtafoveal leakage. *Ophthalmology*, 2008;115(12):2229-34.
108. Ricci F, Missiroli F, Regine F, Grossi M, Dorin G. Indocyanine green enhanced subthreshold diode-laser micropulse photocoagulation treatment of chronic central serous chorioretinopathy. *Graefes Arch Clin Exp Ophthalmol*, 2009;247(5):597-607.
109. Gupta B, Elagouz M, McHugh D, Chong V, Sivaprasad S. Micropulse diode laser photocoagulation for central serous chorio-retinopathy. *Clin Exp Ophthalmol*, 2009;37(8):801-5.
110. Koss MJ, Beger I, Koch FH. Subthreshold diode laser micropulse photocoagulation versus intravitreal injections of bevacizumab in the treatment of central serous chorioretinopathy. *Eye (Lond)*, 2012;26(2):307-14.
111. Beger I, Koss M, Koch F. [treatment of central serous chorioretinopathy: Micropulse photocoagulation versus bevacizumab.]. *Ophthalmologie Online First*, 6 October 2012.
112. Roisman L, Magalhaes FP, Lavinsky D, Moraes N, Hirai FE, Cardillo JA, Farah ME: Micropulse diode laser treatment for chronic central serous chorioretinopathy: A randomized pilot trial. *Ophthalmic Surg Lasers Imaging Retina*, 2013;44(5):465-70.
113. Malik KJ, Sampat KM, Mansouri A, Steiner JN, Glaser BM: Low-intensity/high-density subthreshold micropulse diode laser for chronic central serous chorioretinopathy. *Retina*, 2015;35(3):532-536.
114. Kretz FT, Beger I, Koch F, Nowomiejska K, Auffarth GU, Koss MJ. Randomized clinical trial to compare micropulse photocoagulation versus half-dose verteporfin photodynamic therapy in the treatment of central serous chorioretinopathy. *Ophthalmic Surg Lasers Imaging Retina*, 2015;46(8):837-43.
115. Breukink MB, Mohr JK, Ossewaarde-van Norel A, den Hollander AI, Keunen JE, Hoyng CB, Boon CJ. Half-dose photodynamic therapy followed by diode micropulse laser therapy as treatment for chronic central serous chorioretinopathy: Evaluation of a prospective treatment protocol. *Acta Ophthalmologica*, 2016;94(2):187-97.

[RETURN TO TOC](#)

116. Luttrull JK. Low-intensity/high-density subthreshold diode micropulse laser for central serous chorioretinopathy. *Retina*, 2016;36(9):1658-63.
117. Maruko I, Koizumi H, Hasegawa T, Arakawa H, Iida T. Subthreshold 577 nm micropulse laser treatment for central serous chorioretinopathy. *PLoS One*, 2017;12(8):e0184112.
118. van Dijk EHC, Fauser S, Breukink MB, Blanco-Garavito R, Groenewoud JMM, Keunen JEE, Peters PJH, Dijkman G, Souied EH, MacLaren RE, Querques G, Downes SM, Hoyng CB, Boon CJF. Half-dose photodynamic therapy versus high-density subthreshold micropulse laser treatment in patients with chronic central serous chorioretinopathy: The place trial. *Ophthalmology*, 2018;125(10):1547-1555.
119. Luttrull JK. Comment on: Focal and diffuse chronic central serous chorioretinopathy treated with half-dose photodynamic therapy or subthreshold micropulse laser: Place trial report no. 3. *Am J Ophthalmol*, 2020;212:186-187.
120. van Rijssen TJ, van Dijk EHC, Scholz P, Breukink MB, Blanco-Garavito R, Souied EH, Keunen JEE, MacLaren RE, Querques G, Fauser S, Downes SM, Hoyng CB, Boon CJF. Reply to comment on: Focal and diffuse chronic central serous chorioretinopathy treated with half-dose photodynamic therapy or subthreshold micropulse laser: Place trial report no. 3. *Am J Ophthalmol*, 2020;212:187-188.
121. Arora S, Sridharan P, Arora T, Chhabra M, Ghosh B. Subthreshold diode micropulse laser versus observation in acute central serous chorioretinopathy. *Clin Exp Optom*, 2019;102(1):79-85.
122. Striebe NA, Feltgen N, Khattab MH, Spier L, Callizo J, Bemme S, Hoerauf H, van Oterendorp C. [Does the micropulse laser have an effect on chronic CSC?]. *Ophthalmologe*, 2019;116(9):850-856.
123. van Rijssen TJ, van Dijk EHC, Scholz P, Breukink MB, Blanco-Garavito R, Souied EH, Keunen JEE, MacLaren RE, Querques G, Fauser S, Downes SM, Hoyng CB, Boon CJF. Focal and diffuse chronic central serous chorioretinopathy treated with half-dose photodynamic therapy or subthreshold micropulse laser: Place trial report no. 3. *Am J Ophthalmol*, 2019;205:1-10.
124. Piasecka K, Gozdek P, Maroszynski M, Odrobina D. Comparison of 532 nm micropulse green laser versus continuous-wave 532 nm green laser in chronic central serous chorioretinopathy: Long-term follow-up. *J Ophthalmol* 2020;2020:4604567.
125. Wu L, Roca JA. Comment on: Crossover to photodynamic therapy or micropulse laser after failure of primary treatment of chronic central serous chorioretinopathy. *Am J Ophthalmol* 2021;222:397.

Posters and Podium Presentations

126. Dare AR, Cardillo JA, Tognin F. Sub-threshold infrared micro pulsed laser treatment for chronic central serous choroidopathy. *Invest Ophthalmol Vis Sci*, 2008;49:ARVO E-Abstract 4718.
127. Keunen JE, Pijl BJ, Theelen T. Micropulse diode laser treatment in central serous chorioretinopathy. 26th Meeting of the Club Jules Gonin, September 2008, St. Moritz, Switzerland. Abstract 87.
128. Dare AR, Lavinsky D, Magalhaes F, Roisman L, Tognin F, Moreira CE, Cardillo JA. Focal juxtafoveal and grid pattern selective micropulse laser photocoagulation for treatment of chronic central serous chorioretinopathy. *Invest Ophthalmol Vis Sci*, 2009;50:ARVO E-Abstract 214.
129. Cardillo JA, Lavinsky D, Magalhaes F, Roisman L, Farah ME, Dare AJR. An optimized focal juxtafoveal and grid pattern subthreshold laser photocoagulation technique for the treatment of central serous chorioretinopathy. Retina Congress 2009, New York, NY. Scientific Paper, Page 69.
130. Keunen JE, Pijl BJ, Theelen T. Micropulse diode laser treatment in central serous chorioretinopathy. Retina Congress 2009, New York, NY. Scientific Poster 910, Page 217.
131. Dare AJ, Peroni R, Castro L, Moreira CE, Lavinsky D, Magalhaes F, Cardillo JA. Subfoveal subthreshold laser photocoagulation technique for the treatment of central serous chorioretinopathy. *Invest Ophthalmol Vis Sci*, 2010;51(5):1347.
132. Maia AM, Penha FM, Regatieri CVS, Cardillo JA, Farah ME. Micropulse 577nm - yellow laser photocoagulation for central serous chorio-retinopathy. *Invest Ophthalmol Vis Sci*, 2010;51(5):4273.
133. Dare AJ, Cardillo JA, Lavinsky D, Belfort R, Jr., Moreira CE. 577 nm yellow selective subthreshold laser photocoagulation for the treatment of central serous chorioretinopathy with foveal leakage. *Invest Ophthalmol Vis Sci*, 2011;52(6):6622.
134. Fruschelli M, Sparagna MC, Denaro R, Menicacci F, Esposti G, Esposti PL. Subthreshold micropulse photostimulation with true yellow 577nm diode laser for macular edema. 12th EVRS Congress. Dresden, Germany. September 15 - 18, 2012.
135. Saskonov S, Suk S. Subthreshold micropulse 577 nm coagulation of multifocal central serous chorioretinopathy. 12th EURETINA Annual Congress. Milan, Italy. 6-9 September, 2012.
136. Giralte J, Casaroli-Marano RP, Burés-Jelstrup A. Subthreshold diode micropulse laser photocoagulation versus low-fluence photodynamic therapy for the treatment of chronic central serous chorioretinopathy. *Invest Ophthalmol Vis Sci*, 2013;54:E-Abstract 4140.
137. Dare AJ, Peroni R, Paganelli F, Castro LC. Micropulsed laser therapy outcomes in the treatment of chronic central serous chorioretinopathy based on leakage pattern. *Invest Ophthalmol Vis Sci*, 2014;(55):E-Abstract 6385.
138. Estephania F. Subthreshold 577 nm micropulse laser for the treatment of chronic central serous chorioretinopathy (CCSC). *Invest Ophthalmol Vis Sci*, 2017;58(8):5926-5926.
139. Taha H, El Sheha H. Subthreshold micropulse laser photocoagulation for retinal vascular disorders. American Society of Cataract and Refractive Surgery, 2020.
140. Raslan W, Younis S. Efficacy and safety of subthreshold laser treatment for chronic central serous chorioretinopathy. *Invest Ophthalmol Vis Sci*. 2022;63(7):3795 – F0216-3795 – F0216.

[RETURN TO TOC](#)

141. Zhang Z, Sun B, Xie J, Hou G. Subthreshold photocoagulation treatment of recurrent central serous chorioretinopathy with pachychoroid pigment epitheliopathy. *Invest Ophthalmol Vis Sci*. 2022;63(7):3806 – F0227-3806 – F0227.

Coats Disease

Posters and Podium Presentations

142. Taha H, El Sheha H. Subthreshold micropulse laser photocoagulation for retinal vascular disorders. American Society of Cataract and Refractive Surgery, 2020.

Idiopathic Polypoidal Choroidal Vasculopathy

Posters and Podium Presentations

143. Alnahrawy A. Efficacy of micropulse laser in treatment of idiopathic polypoidal choroidal vasculopathy (IPCV) unresponsive to aflibercept injections. World Glaucoma Conference, 2018, Barcelona, Spain.
144. Bellizzi G. Subthreshold micropulse 577nm. Laser in no-responder patient with juxtafoveal polypoidal neovascularization. World Glaucoma Conference, 2018, Barcelona, Spain.

Optic Disc Maculopathy

Articles

145. Valdes-Lara CA, Crim N, Garcia-Aguirre G, Lule IA, Morales-Canton V. Micropulse laser for persistent optic disc pit maculopathy. A case report. *Am J Ophthalmol Case Reports*, 2018;10282-284.

Retinitis Pigmentosa

Articles

146. Luttrull JK. Improved retinal and visual function following panmacular subthreshold diode micropulse laser for retinitis pigmentosa. *Eye*, 2018;32(6):1099-1110.

Serous Pigment Epithelium Detachment

Articles

147. Battaglia-Parodi M, Sheth S, Papayannis A, Bandello F. Treatment of serous pigment epithelium detachment with subthreshold micropulse diode laser photocoagulation: A case report. *Eur J Ophthalmol* 2009;19(5):887-9.

Symptomatic Retinal Arterial Macroaneurysms

Articles

148. Parodi MB, Iacono P, Ravalico G, Bandello F. Subthreshold laser treatment for retinal arterial macroaneurysm. *Br J Ophthalmol*, 2011;95(4):534-538.
149. Battaglia Parodi M, Iacono P, Pierro L, Papayannis A, Kontadakis S, Bandello FM. Subthreshold laser treatment versus threshold laser treatment for symptomatic retinal arterial macroaneurysm. *Invest Ophthalmol Vis Sci*, 2012;53(4):1783-6.

RETINA: PRE-CLINICAL

Articles

150. Pankratov MM. Pulsed delivery of laser energy in experimental thermal retinal photocoagulation. *SPIE 1990;1202 Laser-Tissue Interaction*:205-13.
151. Roider J, Hillenkamp F, Flotte T, Birngruber R. Microphotocoagulation: Selective effects of repetitive short laser pulses. *Proc Natl Acad Sci USA*, 1993;90(18):8643-7.
152. Ogata N, Ando A, Uyama M, Matsumura M. Expression of cytokines and transcription factors in photocoagulated human retinal pigment epithelial cells. *Graefes Arch Clin Exp Ophthalmol*, 2001;239(2):87-95.
153. Ogata N, Tombran-Tink J, Jo N, Mrazek D, Matsumura M. Upregulation of pigment epithelium-derived factor after laser photocoagulation. *Am J Ophthalmol*, 2001;132(3):427-9.
154. Wilson AS, Hobbs BG, Shen WY, Speed TP, Schmidt U, Begley CG, Rakoczy PE. Argon laser photocoagulation-induced modification of gene expression in the retina. *Invest Ophthalmol Vis Sci*, 2003;44(4):1426-34.
155. Barak A, Goldkorn T, Morse LS. Laser induces apoptosis and ceramide production in human retinal pigment epithelial cells. *Invest Ophthalmol Vis Sci*, 2005;46(7):2587-91.
156. Chan-Ling T, Baxter L, Afzal A, Sengupta N, Caballero S, Rosinova E, Grant MB. Hematopoietic stem cells provide repair functions after laser-induced bruch's membrane rupture model of choroidal neovascularization. *Am J Pathol*, 2006;168(3):1031-44.
157. Harris JR, Brown GA, Jorgensen M, Kaushal S, Ellis EA, Grant MB, Scott EW. Bone marrow-derived cells home to and regenerate retinal pigment epithelium after injury. *Invest Ophthalmol Vis Sci*, 2006;47(5):2108-13.
158. Binz N, Graham CE, Simpson K, Lai YK, Shen WY, Lai CM, Speed TP, Rakoczy PE. Long-term effect of therapeutic laser photocoagulation on gene expression in the eye. *FASEB J*, 2006;20(2):383-5.

[RETURN TO TOC](#)

159. Ricci F, Pucci S, Sesti F, Missiroli F, Cerulli L, Giusto Spagnoli, L. Modulation of Ku70/80, Clusterin/ApoJ Isoforms and Bax Expression in Indocyanine-Green-Mediated Photo-Oxidative Cell Damage. *Ophthalmic Res*, 2007;39:164–173.
160. Flaxel C, Bradle J, Acott T, Samples JR. Retinal pigment epithelium produces matrix metalloproteinases after laser treatment. *Retina*, 2007;27(5):629-34.120.
161. Colome J, Ruiz-Moreno JM, Montero JA, Fernandez E. Diode laser-induced mitosis in the rabbit retinal pigment epithelium. *Ophthalmic Surg Lasers Imaging*, 2007;38(6):484-90.
162. Wang HC, Brown J, Alayon H, Stuck BE. Transplantation of quantum dot-labelled bone marrow-derived stem cells into the vitreous of mice with laser-induced retinal injury: Survival, integration and differentiation. *Vision Res*, 2010;50(7):665-73.
163. Zhuravleva ES, Saburina IN, Borzenok SA, Doga AV, Kosheleva NV, Kachalina GF, Magaramov DA, Tonaeva Kh D. [Experimental study of safety in application of the IRIS Medical IQ 810 diode laser in clinical treatment of age-related macular degeneration]. *Patol Fiziol Eksp Ter*, 2011;(3):16-20.
164. Yu AK, Merrill KD, Truong SN, Forward KM, Morse LS, Telander DG: The comparative histologic effects of subthreshold 532- and 810-nm diode micropulse laser on the retina. *Invest Ophthalmol Vis Sci*, 2013;54(3):2216-2224.
165. De Cilla S, Vezzola D, Farruggio S, Vujosevic S, Clemente N, Raina G, Mary D, Casini G, Rossetti L, Avagliano L, Martinelli C, Bulfamante G, Grossini E. The subthreshold micropulse laser treatment of the retina restores the oxidant/antioxidant balance and counteracts programmed forms of cell death in the mice eyes. *Acta Ophthalmol*, 2019;97(4):e559-e567.

Posters and Podium Presentations

166. Kaushal S, Afzal A, Annamalai M, Neeley A, Caballero S, Chan-Ling T, Grant MB. Expression studies of laser-induced RPE stress. *Invest Ophthalmol Vis Sci*, 2008;49:ARVO E-Abstract 3987.
167. Kaushal S, Afzal A, Ko H, Neeley A, Grant M, Annamalai M. Upregulation of the stem cell chemoattractant SDF-1 by laser or heat shock to the RPE. 26th Meeting of the Club Jules Gonin, September 2008, St. Moritz, Switzerland. Abstract 102.
168. Miura Y, Treumer F, Klettner A, Hillenkamp J, Brinkmann R, Birngruber R, Roeder J. VEGF and PEDF secretions over time following various laser irradiations on an RPE organ culture. *Invest Ophthalmol Vis Sci*, 2010;51:ARVO E-Abstract 469.
169. Ricci FU, Mazzarelli P, Zonetti MJ, Missiroli F, Jr., Cesareo M, Sr., Pucci S. 810 nm micropulse laser irradiation selectively regulates VEGF165 isoforms expression acting on RNA binding splice factor activation in indocyanine green loaded ARPE19 and Caco2 cultured cells. *Invest Ophthalmol Vis Sci*, 2010;51(5):56.

RETINA: TISSUE-SPARING RELATED LITERATURE

Articles

170. Sliney DH, Marshall J. Tissue specific damage to the retinal pigment epithelium: Mechanisms and therapeutic implications. *Laser Light in Ophthalmol*, 1992;5(1):17-28.
171. Berger JW. Thermal modelling of micropulsed diode laser retinal photocoagulation. *Laser Surg Med*, 1997; 20(4):409-15.
172. Mainster MA. Decreasing retinal photocoagulation damage: Principles and techniques. *Semin Ophthalmol*, 1999;14(4):200-9.
173. Lanzetta P, Dorin G, Piracchio A, Bandello F. Theoretical bases of non-ophthalmoscopically visible endpoint photocoagulation. *Semin Ophthalmol*, 2001;16(1):8-11.
174. Dorin G. Subthreshold and micropulse diode laser photocoagulation. *Semin Ophthalmol*, 2003;18(3):147-53.
175. Dorin G. Evolution of retinal laser therapy: Minimum intensity photocoagulation (MIP). Can the laser heal the retina without harming it? *Semin Ophthalmol*, 2004;19(1-2):62-68.
176. Desmettre TJ, Mordon SR, Buzawa D, Mainster MA. Micropulse and continuous-wave diode retinal photocoagulation: Visible and subvisible laser parameters. *Br J Ophthalmol*, 2006;90(6):709-12.
177. Lanzetta P, Polito A, Verritti D. Subthreshold laser. *Ophthalmology* 2008;115(1):216.e1.
178. Sivaprasad S, Elagouz M, McHugh D, Shona O, Dorin G. Micropulsed diode laser therapy: Evolution and clinical applications. *Surv Ophthalmol*, 2010;55(6):516-30.
179. Ohkoshi K, Tsuiki E, Kitaoka T, Yamaguchi T. Visualization of subthreshold micropulse diode laser photocoagulation by scanning laser ophthalmoscopy in the retro mode. *Am J Ophthalmol*, 2010;150(6):856-862.e2.
180. Youssef PN, Sheibani N, Albert DM. Retinal light toxicity. *Eye (Lond)*, 2011;25(1):1-14.
181. Brader HS, Young LH. Subthreshold diode micropulse laser: A review. *Semin Ophthalmol*, 2016;31(1-2):30-9.
182. Chang DB, Luttrull JK. Comparison of subthreshold 577 and 810 nm micropulse laser effects on heat-shock protein activation kinetics: Implications for treatment efficacy and safety. *Transl Vis Sci Technol*, 2020;9(5):23.

Posters and Podium Presentations

183. Dorin G, Arias E, Buzawa D. Evolution of laser therapy for diabetic retinopathy: Are retinal destruction and collateral adverse effects prerequisites for an effective treatment? *Invest Ophthalmol Vis Sci*, 2008;49:E-Abstract 2758.
184. Dorin G, Buzawa D, Mercereau J. Evolution of the laser treatment of diabetic retinopathy (DR): From laser surgery to laser therapy. EVER 2008, Abstract 613.
185. Dorin G. Threshold and Subthreshold Retinal Laser Therapy. But Which Threshold? *Invest Ophthalmol Vis Sci*, 2013;(53):E-Abstract 4142.

[RETURN TO TOC](#)

iridex.com



© 2023 IRIDEX. All rights reserved. IRIDEX, the IRIDEX logo, MicroPulse, and the MicroPulse logo are trademarks or registered trademarks of IRIDEX. LT0736 01.2023